

transmittal of a process running on any first one of the computer components to any second one of the computer components to resume running on the second computer component, and

AI
Cont evolution of the process by selective deletion of objects from within the process and/or the selective addition of objects into the process and/or the selective replacement of objects within the process by new objects, thereby changing the functionality of the process.

54. A computing environment as claimed in claim 53, wherein a construct is formed comprising data and/or program modules and execution state of a first process, and wherein said evolutionary operations are performed by functions operating on a said construct.

55. A computing environment as claimed in claim 54, wherein said construct is formed by a construct operation that suspends all active threads of said first process and creates a new process comprising at least some of the data and/or program modules and execution state of said first process, and stores said new process in a data area of said first process.

56. A computing environment as claimed in claim 55, wherein said construct comprises only data, program modules and execution state falling within lists that are passed to said construct operation.

57. A computing environment as claimed in claim 54, wherein said construct is provided with an authorizing signature.

58. A computing environment as claimed in claim 53, wherein said evolutionary operations include the selective deletion of objects from within said process.

59. A computing environment as claimed in claim 53, wherein said evolutionary operations include the selective loading or reloading of objects into said process.

AI
Cont
60. A computing environment as claimed in claim 53, wherein a said evolutionary operation includes the incorporation into a first process of new objects from a second process.

61. A computing environment as claimed in claim 60, wherein a construct is formed comprising at least some of the data and/or program modules and execution state from said second process, and said construct is transferred to said first process.

62. A computing environment as claimed in claim 61, wherein said construct is formed by a construct operation that suspends all active threads of said second process and creates a new process comprising a subset of the data, program modules and execution state of said second process, and stores said new process in a data area of said second process.

63. A computing environment as claimed in claim 62, wherein said construct comprises only data, program modules and execution state falling within lists that are passed to said construct operation.

64. A computing environment as claimed in claim 61, wherein said construct is provided with an authorizing signature.

65. A computing environment as claimed in claim 61, wherein after said construct is transferred, the second process stored within said construct is caused to be activated within said first process.

66. A computing environment as claimed in claim 61, wherein after said construct is transferred the first process is suspended and the second process stored within said construct is activated, and when the second process is concluded, the data and program modules of the second process are added to the first process and the first process is re-activated.

67. A computing environment as claimed in claim 61, wherein after said first process terminates, at least some of the data and/or program modules from said first process are added to the second process stored in said construct and said second process is then activated.

68. A computing environment as claimed in claim 60, wherein a construct is formed comprising at least some of the data and/or program modules from said second process, and said construct is transferred to said first process.

69. A computing environment as claimed in claim 68, wherein said construct is formed by a construct operation that suspends all active threads of said second process and creates a new process comprising at least some of the data and/or program modules of said second process, and stores said new process in a data area of said second process.

70. A computing environment as claimed in claim 69, wherein said construct comprises only a subset of data and program modules falling within lists that are passed to said construct operation.

71. A computing environment as claimed in claim 68, wherein said data and said program modules from said second process are copied into said first process.

AI
Cont
72. A computing environment as claimed in claim 60, wherein in the event of a conflict between data and/or program modules of said first process and data and/or program modules of second process, the data and/or program modules of said first process will override the data and/or program modules of said second process.

73. A computing environment as claimed in claim 60, wherein in the event of a conflict between data and/or program modules of said first process and data and/or program modules of said second process, the data and/or program modules of said second process will override the data and/or program modules of said first process.

74. A computing environment as claimed in claim 53, wherein a said process may be transferred between different first and second hardware components of said computing environment.

75. A computing environment as claimed in claim 74, wherein a construct is formed comprising at least some of the data and/or program modules and execution state of said process, and said construct is transferred.

76. A computing environment as claimed in claim 74, wherein said construct comprises a subset of the data, program modules and execution state of said process.

77. A computing environment as claimed in claim 74, wherein a said process is subject to an evolutionary operation that allows the process to run in the second hardware component.

A1
78. A computing environment as claimed in claim 74, wherein said second hardware component is a memory stage device.

79. A method of operating a computer process within a computing environment defined by a plurality of computer components, the process comprising a plurality of objects which each comprise data and program modules operating on the data, the process running on a first of the computer components and having an execution state at any time, the method comprising:

transmitting the process to a second of the computer components, the process resuming operation on the second computer component, and

modifying the process by selective deletion of objects from within the process and/or the selective addition of objects into the process and/or the selective replacement of objects within the process by new objects thereby changing the functionality of the process.---
